

SANYO, Piccadilly Circus, London

SANYO Europe LTD, SANYO House, Colonial Way, Watford, Herts, WD24 4PT TELEPHONE: 01923 246363 EMAIL: INFO.UK.SEL@SANYO.COM WWW.SANYO.CO.UK

Whilst every care is taken to ensure that the details contained within this brochure are correct at the time of printing, they are intended as a guide only and do not constitute an offer.

The SANYO policy is one of continuous improvement so it is possible that alterations to specification and imagery may have occurred since printing.





Living Your 2009 guide to products for the home





A great range of microwaves

The new SANYO range of microwave ovens is available in a variety of sizes and finishes to suit any home. They are the perfect compliment to today's busy family, giving you the flexibility and speed to create a range of dishes.

EM-SL60C <a>♠ <a>♠ <a>♠ <a>♠



- 25 Litres (0.9 cu ft)
- ■900W Microwave Power
- 1000W Grill
- 1400W Convection Oven
- Stainless Steel Interior/Exterior
- 10 Power Levels

- ■7 Auto Menus
- 95 min. Digital Timer
- 2 Combined Grill/Convection
- ☐ Child Lock
- External: 510 x 470 x 305 mm
- Internal: 328 x 368 x 206 mm





Quick and healthy meals at the touch of a button!





■ Speed & Weight Defrost

External: 483 x 394 x 281 mm

■ Internal: 364 x 341 x 217 mm

■8 Auto Menus

Child Lock

EM-SL50G ●●



Family Sized Stainless Steel Oven with Grill


- 25 Litres (0.9 cu ft)
- Stainless Steel Exterior
- 900W Microwave Power
- 1000W Quartz Grill
- ■8 Power Levels
- 99 min. Digital Timer



EM-SL50S (SOLO OVEN) ⁽●

Family Sized Stainless Steel Microwave Oven

- 25 Litres (0.9 cu ft)
- Stainless Steel Exterior
- 900W Microwave power
- ■10 Power Levels
- ■99 min. Digital Timer
- Speed & Weight Defrost
- 8 Auto Menus
- Child Lock
- External: 483 x 394 x 281 mm
- Internal: 364 x 341 x 232 mm





A range of ovens to suit your needs



EM-C8787V 🚳 🕮



Ultra Large Combination Oven

- 1.2 cu ft (32 Litres)
- 1000W Microwave
- 1100W Grill
- 1400 Convection Oven
- 5 Microwave Power Levels
- 8 Auto Menus
- 230-140C Convection Temp
- 4 Combined Grill/Convection Settings
- External: 519 x 478 x 315 mm
- Internal: 351 x 354 x 249 mm



EM-G3597V ●●



Family Sized Microwave Oven with Grill

- 23 Litres (0.8 cu ft)
- 900W Microwave Power
- 1000W Quartz Grill
- ■8 Power Levels
- ■99 min. Digital Timer
- Speed & Weight Defrost
- ■8 Direct Access Menus
- Child Lock
- External: 483 x 366 x 281 mm
- Internal: 340 x 320 x 220 mm



EM-S3597V **(** €)

Family Sized Microwave Oven

- 23 Litres (0.8 cu ft)
- 900W Microwave Power
- 10 Power Levels
- 99 min. Digital Timer
- Speed & Weight Defrost
- ■8 Direct Access Menus
- Child Lock
- External: 483 x 366 x 281 mm
- Internal: 340 x 320 x 220 mm





Family Sized Touch Control Oven with Quartz Grill

- 0.9 cu ft Cavity Space (25 Litres)
- 900W Microwave Power (MAFF E)
- 1000W Quartz Grill
- 8 Power Levels
- Grill and Combination Grills
- Speed and Weight Defrost
- 99 Minute Digital Timer
- Digital Clock

- Child Lock Feature
- Delay Start
- Express Cooking
- Memory Cook
- Glass Turntable
- External: 508 x 420 x 310 mm
- Internal: 350 x 330 x 215 mm

User-friendly models

EM-G2567 **● ③**

- 0.7 cu ft Cavity Space (20 Litres)
- ■800W Microwave Power (MAFF E) Delay Start
- 1000W Quartz Grill
- ■8 Power Levels
- Grill and Combination Grills
- Speed and Weight Defrost
- 99 Minute Digital Timer
- Digital Clock

- ☐ Child Lock Feature
- Express Cooking
- Memory Cook
- Glass Turntable
- External: 458 x 355 x 295 mm





Relax. Our microwave range takes the stress out of mealtimes

Esquire



EM-S3577 **(** €

Family Sized Touch Control Oven

- 0.9 cu ft Cavity Space (25 Litres)
- 900W Microwave Power (MAFF E)
- 10 Power Levels
- 99 Minute Digital Timer
- Speed and Weight Defrost
- 6 Direct Access Menus ideal for: Frozen Meals, Drinks, Popcorn etc.
- Kitchen Timer
- Child Lock Feature
- Weight Cook (Cook by Weight)
- Glass Turntable
- External: 508 x 420 x 310 mm
- Internal: 350 x 330 x 215 mm



EM-S1567 **(** €

Compact Touch Control Oven

- 0.7 cu ft Cavity Space (20 Litres)
- 800W Microwave Power (MAFF E)
- 10 Power Levels
- ■99 Minute Digital Timer
- Speed and Weight Defrost
- 6 Direct Access Menus ideal for: Frozen Meals, Drinks, Popcorn etc
- Kitchen Timer
- Child Lock Feature
- Weight Cook (Cook by Weight)
- Glass Turntable
- External: 458 x 355 x 295 mm
- Internal: 300 x 284 x 206 mm

Slick and **Functional**

EM-S2298V **(** €)

Microwave Oven

- 20 Litres (0.7 cu ft)
- 800W Microwave Power
- Weight adjust cooking
- LED Display
- 12 hrs Clock function
- Auto defrost
- Cooking end signal
- Pull handle door
- External: 262(W) x 452(D) x 370(H) mm
- Internal: 210(W) x 315(D) x 314(H) mm
- Mirror Finish Door





EM-S1067 **◎**

Mechanical Compact Oven

- 0.7 cu ft Cavity Space (20 Litres)
- 800W Microwave Power (MAFF E)
- ■6 Power Levels
- 60 Minute Timer/Dual Speed Timer Internal: 300 x 284 x 206 mm
- Defrost Setting
- Glass Turntable
- External: 458 x 365 x 295 mm



EM-S1298V **●**

Compact Touch Control Oven

- 0.6 cu ft Cavity Space (19 Litres)
- 800W Microwave Power (MAFF E)
- 10 Power Levels
- 99 Minute Digital Timer
- Speed and Weight Defrost
- 6 Direct Access Menus ideal for: Frozen Meals, Drinks, Popcorn etc
- Kitchen Timer
- Child Lock Feature
- Weight Cook (Cook by Weight)
- Glass Turntable
- External: 262 x 350 x 452mm
- Internal: 300 x 284 x 206 mm

Versatile Multifunction Cooker

For those who want healthy meals quickly and simply, the multi-function cooker provides an easy way to create fantastic dishes - just add the ingredients and press the start button - for meals in minutes!

Petit Gourmet ECJ-FS50(SW)

- Titanium-coated extra-thick (4mm) Inner Pot
- LCD clock and 24-hour preset timer
- Multi-menu selection
- ■5 cup capacity

Simple Menu buttons Low Power Consumption of 650W/27W (at keep warm) Dimension WxDxH: 245 x 290 x 210mm Weight: Approx. 3.2kg





Grill, Oven & Toaster in 1

As the name suggests, the grill, oven and toaster provides a multitude of ways to cook almost anything! Large enough for a 10" pizza, yet small enough for your worktop, this appliance is a fab addition to any modern kitchen.

SK-WQ3(S)

One Touch/Auto-Cooking for Toast and Pizza
Large space for 10 inch pizza or 3 slices of bread
Heating with new U-type quartz pipe heater
Even toasting on both sides with net rack
A wide glass window for easy viewing

Temperature control 80 – 260 °C Non-stick coated tray Detachable crumb tray 1300W Power consumption Dimension WxDxH: 370 x 318 x 222mm Weight: Approx. 3.8kg





Vacuums



Bagless Uprights with ease-of-use in mind

Features such as a range of on-board tools and high filtration levels are coupled to our easy to empty dust canister. When the cleaner is ready to empty, simply press a button and the base of the canister opens for quick and hygienic dust disposal.

SC-LI80H

1800 Watt Upright Vacuum/HEPA Filtration with Mini Turbo Brush

- HEPA Filtration
- QuickAction Cleaning Hose
- Auto Height Adjustment
- Brush Bar On/Off

ON BOARD TOOLS:

- Stretchable Cleaning Hose
- Plastic Cleaning Wand
- Mini Turbo Brush
- Long Crevice Tool
- Upholstery Tool with Brush

OTHER:

- Cleaning Width: 12²
- Cable Length: 7 Metres, 31cm
- Dust Capacity: 2.6 Litres
- Weight: 8.9Kg
- Dimensions: W349 x H343 x D1140



This upright model has been designed with the smaller home or apartment in mind. The cleaner has many of the features of our larger upright models such as a switchable brush bar, a range of on-board tools, (including a mini turbo brush) and our easy to empty dust canister system.

SC-K140T

1400 Watt Upright Vacuum with Mini Turbo Brush

■ Brush Bar On/Off

ON BOARD TOOLS

- Stretchable Cleaning Hose
- Long Crevice Tool
- Dusting Brush

OTHER

- Cleaning Width: 11"
- Cable Length: 5 Metres, 28cm
- Dust Capacity: 1.2 Litres
- Weight: 5.4Kg
- Dimensions: W277 x H255 x D900





Portable Bagless Vacuum Cleaners




SC-A601

2000 Watt Bagless Cylinder Vacuum

- 360° Swivel Hose
- HEPA Filter
- On-Body Variable Power Control
- Self-retracting Power Cord
- Stainless Steel Extension Pipe
- Dust Capacity: 2.2 Litres
- W270 x H240 x D350







Floor Tool

■ Flexible Hose

■ Crevice Tool

■ Metal Extension Pipe

■ Round Cleaning Brush

■ W256 x H465 x D234

■ Washable Filter

Dust Indicator

Cord Rewind

Dust Capacity: 5 Litres

Cable Length: 5 Metres

Suction Booster


Turbo Cleaning Brush with



Relax with SANYO's soothing range of Massagers



The SANYO Foot
Massager is equipped
with a Swing Reclining
function for a great
massage whether sitting,
reclining, or lying down!



HER-FA500

Foot Massager

- ■3 Automatic settings: Shiatsu, Relax, Quick
- ■3 Manual settings: Sole, Calf and Foot
- ■3 Intensity levels: High, Medium, Low
- ■3 settings for different foot sizes
- Sole warming function
- Approximately 15min for Automatic and Manual courses, and 5mins for the Quick course
- Dimensions WxDxH: 550 x 445 x 435mm
- ■Weight: approx. 13.5kg







Our Massage Chairs give a feeling of zero gravity



HEC-DR6100

Massage Chair

- Power Consumption 290W
- Electric fully automatic reclining
- Easy-roll castors
- Easy to care for
- Shoulder squeeze kneading
- Pro Touch Stiffness sensor
- Equipped with the "Free Thumb" jointed massage head unit
- Sole heating and undulating sole shiatsu
- 4 airbags promote circulation wrap around the desired area to massage your arm or thighs



■ Professional Hand Massage System

- Automatic Course Stiffness, Recovery, Relax and Fine
- Massage Position Settings: neck & shoulder, waist or lower body
- Manual Setting
- Memory Function
- External Cloth: Artificial Leather 100%
- Dimensions: WxDxH: 730 x 1240 x 1200mm (when not reclined)
- Weight: Approx. 75kg

Our unique massage is even better than the real thing!



- Whole body sensor Automatic Setting Stiffness Course,

- Weight: Approx. 83kg

Specifications

| Mode Microwave Power (Watts) Source Microwa | MICROWAVE SPECIFICATION | | | | | | | |
|--|-------------------------------------|-----------------|----------------------------|-----------------|-----------------|-----------------|----------------------------|-----------------|
| MAFF Eating | MODEL | EM-SL60C | EM-SL50G | EM-SL50S | EM-C8787V | EM-C6786V | EM-G3597V | EM-S3597V |
| Cavity Wolume Cu. Ft.(Litre) | Microwave Power (Watts) | | | 900W | 1000W | | 900W | 900W |
| Control (Watts) | | Maff E | | Maff E | Maff E | Maff E | Maff E | Maff E |
| Fail Pearl Feater Fail Pearl Feater Fail Pearl | | 0.9 (25) | 0.9 (25) | 0.9 (25) | 1.1 (32) | 1.0 (28) | 0.8 (23) | 0.8 (23) |
| Fan Own Meeter (Watts) | Grill Input (Watts) | 1100W | 1000W | - ' | 1100W | 1100W | 1000W | - ' |
| Fan Oven Temperature of C 240-150 Touch & Encoder Touch & | Grill Heater | | Quartz | - | | | Quartz | - |
| Touch & Encoder Speed & Weight Spe | | | - | - | | | - | - |
| Defrost Speed & Weight Speed & Wei | Fan Oven Temperature oC | 240-150 | - | - | 240-150 | 230-140 | - | - |
| Simultaneous Cooking | | | | | | | | |
| Timer | | Speed & Weight | Speed & Weight | Speed & Weight | Speed & Weight | Speed & Weight | Speed & Weight | Speed & Weight |
| Memory Stages | | | - | - | _ | • | • | - |
| Duick Start | | 95 Minutes | 99 Minutes | 99 Minutes | 95 Minutes | 95 Minutes | 99 Minutes | 99 Minutes |
| Pelay Start | | • | • | • | • | • | • | • |
| Auto Cook/ Reheat Option | | • | • | • | • | • | • | • |
| Cavity Finish Stainless Steel Stainless St | | _ | | | | - | - | - |
| Class Turntable | | | | | | | | |
| Cavity Finish Stainless Steel Stainless Steel Stainless Steel Stainless Steel Tack Tac | Child Lock | • | | | | • | | |
| Ciril Racks (High & Low) 1 Rack 1 | | - | | | _ | _ | | |
| DIMENSIONS (EXTERNAL) WXDxH (mm) 513 x 510 x 305 483 x 394 x 281 483 x 394 x 281 519 x 478 x 315 520 x 510 x 335 483 x 366 x 281 483 x 366 x 281 248 x 394 x 281 248 x 394 x 281 364 x 341 x 232 351 x 354 x 249 371 x 332 x 226 340 x 320 x 220 340 x 320 | | | | | | | | Painted |
| DIMENSIONS (INTERNAL) | | 1 Rack | 1 Rack | - | 1 Rack | 1 Rack | 1 Rack | - |
| WXXXX (mm) 328 x 368 x 266 364 x 341 x 217 364 x 341 x 232 351 x 3354 x 249 371 x 332 x 226 340 x 320 x 220 340 x 320 x 240 x 200 340 x 240 x 200 | WxDxH (mm) DIMENSIONS (INTERNAL) | 513 x 510 x 305 | 483 x 394 x 281 | 483 x 394 x 281 | 519 x 478 x 315 | 520 x 510 x 335 | 483 x 366 x 281 | 483 x 366 x 281 |
| Weight Kig | | 328 x 368 x 206 | 364 x 341 x 217 | 364 x 341 x 232 | 351 x 354 x 249 | 371 x 332 x 226 | 340 x 320 x 220 | 340 x 320 x 220 |
| Stainless Steel Stainless Steel Stainless Steel Black Aluminium Black/Silver Black/Silver | | | | | | | | |
| Microwave Power (Watts) 900W 900W 800W 800W 800W 700W | | | Stainless Steel | | | Aluminium | Black/Silver | |
| Microwave Power (Watts) 900W 900W 800W 800W 800W 700W | | | | | | | | |
| Microwave Power (Watts) 900W 900W 800W 800W 800W 700W | MODEL | EM C4777 | EM C2577 | EM C1567 | EW COOON | EM C1067 | EM C1200V | |
| Maff E Cavity Volume Cu. Ft. (Litre) 0.9 (25) 0.9 (25) 0.7(20) 0.7(20) 0.7(20) 0.7(20) 0.6 (17) | | | | | | | | |
| Cavity Volume Cu. Ft. (Litre) | | | | | | | | _ |
| Grill Imput (Watts) | | | | | | | | - |
| Grill Heater Ouartz | Grill Input (Matte) | | | | | | . , | |
| Fan Oven Heater (Watts) Fan Oven Temperature oC Control Panel Defrost Speed & Weight Speed & Wei | | | | | | | | |
| Fan Oven Temperature oC | | | | | | | | |
| Control Panel Touch Touch Touch Touch Touch Encoder Mechanical Touch & Encoder | | | | | | _ | _ | |
| Defrost Speed & Weight Speed & Wei | | | | | Touch & Encoder | Mechanical | Touch & Encoder | - |
| Simultaneous Cooking | | | | | | | | |
| Timer 99 Minutes 90 Minutes 99 Minutes 90 Minutes 99 Minutes 99 Minutes 90 Minut | | | - | - | - | - | - | 1 |
| Memory Stages | | 99 Minutes | 99 Minutes | 99 Minutes | 99 Minutes | 60 Minutes | 99 Minutes | |
| Quick Start • • • - • • - • <td< td=""><td></td><td>•</td><td></td><td></td><td></td><td></td><td>•</td><td></td></td<> | | • | | | | | • | |
| Delay Start | | • | • | | • | - | • | |
| Auto Cook/ Reheat Option • • 6 Direct Access | | • | • | • | • | - | • | |
| Child Lock Glass Turntable Cavity Finish Painted Pain | | • | • | 6 Direct Access | - | - | - | |
| Cavity Finish Painted | Child Lock | • | • | • | • | - | • | |
| Cavity Finish Painted | Glass Turntable | • | • | • | • | • | • | |
| Grill Řacks (High & Low) 1 Rack | Cavity Finish | Painted | Painted | Painted | Painted | Painted | Painted | |
| DIMENSIONS (EXTERNAL) 508 x 420 x 310 508 x 420 x 310 458 x 355 x 295 262 x 352 x 370 458 x 365 x 295 245 x 452 x 335 DIMENSIONS (INTERNAL) WXDXH (mm) 350 x 330 x 215 350 x 330 x 215 300 x 284 x 206 210 x 315 x 314 300 x 284 x 206 210 x 315 x 279 Weight (Kg) 15.6 15.6 13.7 10.8 13.7 10.5 | Grill Racks (High & Low) | 1 Rack | - | - | - | - | - | 1 |
| WxDxH (mm) 508 x 420 x 310 508 x 420 x 310 458 x 355 x 295 262 x 352 x 370 458 x 365 x 295 245 x 452 x 335 DIMENSIONS (INTERNAL) WxDxH (mm) 350 x 330 x 215 350 x 330 x 215 300 x 284 x 206 210 x 315 x 314 300 x 284 x 206 210 x 315 x 279 Weight (Kg) 15.6 15.6 13.7 10.8 13.7 10.5 | DIMENSIONS (EXTERNAL) | | | | | | | i |
| WxDxH (mm) 350 x 330 x 215 350 x 330 x 215 300 x 284 x 206 210 x 315 x 314 300 x 284 x 206 210 x 315 x 279 Weight (Kg) 15.6 15.6 13.7 10.8 13.7 10.5 | WxDxH (mm) | 508 x 420 x 310 | 508 x 420 x 310 | 458 x 355 x 295 | 262 x 352 x 370 | 458 x 365 x 295 | 245 x 452 x 335 | |
| Weight (Kg) 15.6 15.6 13.7 10.8 13.7 10.5 | DIMENSIONS (INTERNAL) | | | | | | | 1 |
| | WxDxH (mm) | 350 x 330 x 215 | 350 x 330 x 215 | 300 x 284 x 206 | 210 x 315 x 314 | 300 x 284 x 206 | 210 x 315 x 279 | |
| Cabinet Colour White & Silver White & Silver White & Silver Silver Silver Silver | Weight (Kg) | 15.6 | 15.6 | 13.7 | 10.8 | 13.7 | 10.5 | |
| | Cabinet Colour | White & Silver | White & Silver | White & Silver | Silver | White & Silver | Silver | |

| CJ-FS50(SW) | |
|-----------------------------|---------------------------------------|
| Power Source | 230 V 50/60 Hz |
| Power Consumption (Cooking) | 650W |
| (Keep warm) | 22.1Wh |
| Dimension (W X H X D) | 250 x 300 x 215mm |
| Weight (Approx) | 3.4kg |
| Timer | 12 Hour Digital |
| Accessories | Spatula, Steamer Plate, Measuring Cup |
| Cord Length | Approx 0.95m |

| GRILL, OVEN & TOASTER | SPECIFICATIONS |
|-----------------------------|-------------------|
| SK-WQ3(S) | |
| Power Source | 240 V 50/60 Hz |
| Power Consumption (Cooking) | 1500W |
| Outer Dimension (WXHXD) | 370 x 318 x 222mm |
| Inner Dimension (WXHXD) | 324 x 269 x 87mm |
| Weight (Approx) | 3.8kg |
| Temperature Control | 80 C - 260 C |
| Timer | 30 Minute Digital |
| Accessories | Oven Tray |



| VACUUM CLEANER SPECIFICATION | N | | | | | |
|--|--|--|------------------------|-------------------------------------|-------------------------------------|-------------------------|
| MODEL | SC-L180H | SC-K140T | SC-A601 | SC-5006 | SC-N525T | SC-N500 |
| | | | | | BAGLESS CYLINDER | BAGLESS CYLINDER |
| Max. Power (Watts) | 1800W | 1400W | 2000W | 2000W | 1700W | 1700W |
| Variable Power | - | - | • | • | • | - |
| Exhaust Filtration System | HEPA | URETHANE | HEPA | HEPA | 3 STAGE BAGLESS | 3 STAGE BAGLESS |
| Brush Bar Switchable On/Off | • | • | - | - | - | - |
| Dust Full Indicator | - | - | • | • | • | • |
| Cord Rewind | - | - | • | - | • | • |
| Auto Height Adjustment | • | • | • | • | - | - |
| Floor Type Selector | - | - | - | - | - | - |
| Head Width (Inches) | 12" | 11" | - | - | - | - |
| Cleaning Head | - | - | 2-STEP EASY GLIDE | TURBO BRUSH WITH SUCTION BOOSTER | TURBO BRUSH WITH SUCTION BOOSTER | 2-STEP EASY-GLIDE |
| Accessory Tools | - | - | CREVICE ROUND BRUSH | DUSTING BRUSH | CREVICE, ROUND BRUSH, FTH-1 | CREVICE, ROUND BRUSH |
| On Board Tools | LONG CREVICE, UPHOLSTERY, MINI TURBO BRUSH | LONG CREVICE, UPHOLSTERY, MINI TURBO BRUSH | - | DUSTING BRUSH | - | - |
| Tube Type | PLASTIC | PLASTIC | STAINLESS | STAINLESS | STAINLESS | PLASTIC |
| Extension Tubes | 1 | - | • | • | - | - |
| Hose Length (m) | 3.5 | 2.3 | 1.5 | 1.5 | 1.5 | 1.5 |
| Quick Action Hose | • | • | - | - | - | - |
| Easy Lift Handle | • | • | - | - | - | - |
| Soft Grip Handle | • | - | - | - | - | - |
| Cable Length (m) | 7 | 5 | 5 | 5 | 5 | 5 |
| Dust Capacity (Litres) | - | - | - | 3.5 | 5 | 5 |
| Sealed Dust Canister Capacity (Litres) | 3.4 | 1.9 | 1.8 | - | - | - |
| Weight (Kg) | 8.5 | 5.2 | 4.3 | 5.4 | 5 | 4.9 |
| Dimensions WxLxH (mm) | 2.6 8.9 349 x 343 x 1140 | 1.2 5.4 227 x 255 x 900 | 274 x 240 x 375 | 285 x 250 x 480 | 256 x 465 x 234 | 256 x 465 x 234 |

Specifications

| FOOT MASSAGER SPECIFICATIONS | | | | |
|------------------------------|--|--|--|--|
| HER-FA500 | | | | |
| Automatic Function | 3 Automatic Functions: Shiatsu, Relax, Quick | | | |
| Manual Function Selection | 3 Functions: Sole, Calf, Foot | | | |
| Operation Sole Selection | Front & Back Adjustment | | | |
| Intensity Selection | 3 Levels: High, Medium, Low | | | |
| Foot Size | Adjust to any of 3 size ranges | | | |
| Warming Function | Sole | | | |
| Timer | Approx 15 min for Automatic and Manual Functions. | | | |
| | Approx 5 min for Quick Functions. | | | |
| Outer Dimensions (W X H X D) | 550 x 445 x 435mm | | | |
| Rated Frequency | 50 - 60Hz | | | |
| Power Consumption | 46-51W (Power consumption differs according to type) | | | |



| MASSAGE CHAIR SPECIFI | CATIONS |
|-------------------------------|--|
| HEC-DR6100 | |
| Power Consumption | 290W |
| Power Dissipation | |
| of electric heating equipment | 30W |
| Rated Time | 30min. |
| Timer | Whole Body Sensor Automatic Course Approx 15 mins |
| | Automatic Course Approx 15 mins |
| | Manual Course Approx 15 mins |
| Dimensions | 730mm (Width) x 1240mm (Depth) x 1200mm (Height) |
| | When reclined (with foot rest retracted) |
| | 730mm (Width) x 1940mm (Depth) x 680mm (Height) |
| | When reclined (with foot rest retracted) |
| Weight | Approx 75 kg |
| Exterior Cloth | Artificial Leather 100% |
| Kneading Frequency | (5 stages) Approx. 10-30 times/min. |
| Tapping Frequency | (5 stages) Approx 300-600 times/min |
| Tapping Width | (5 stages) Approx 70-130mm |
| Vertical Movement Speed | One up/down pass in approx 35 sec. |
| Spine Stretching Width | (5 stages) Approx 70-130mm |
| Range of partial stretching | Partial stretching (Long): Repetition with Approx 200mm |
| | Partial stretching (Short): Repetition with Approx 100mm |
| Vertical Stroke Length | Approx 720mm |
| Height Adjustment | |
| of Massaging Rollers | No gradation or 2cm/one press of button |
| Reclining Angle | Approx 120-170° |
| Reclining Method | Motor-driven type (Linked with foot rest) |
| Lower Body Massaging | Strong: Approx 27 kPa |
| | Weak: Approx 21 kPa |

| MASSAGE CHAIR SPECIFI | CATIONS |
|-------------------------------|--|
| HEC-DR7700 | |
| Power Consumption | 290W |
| Power Dissipation | |
| of electric heating equipment | 33W |
| Rated Time | 30min. |
| Timer | Whole Body Sensor Automatic Course Approx 15 mins |
| | Automatic Course Approx 15 mins |
| | Manual Course Approx 15 mins |
| Dimensions | 730mm (Width) x 1350mm (Depth) x 1220mm (Height) |
| | When reclined (with foot rest retracted) |
| | 730mm (Width) x 1840mm (Depth) x 760mm (Height) |
| | When reclined (with foot rest retracted) |
| Weight | Approx 83 kg |
| Exterior Cloth | Synthetic leather |
| Kneading Frequency | (5 stages) Approx. 10-30 times/min. |
| Tapping Frequency | (5 stages) Approx 300-600 times/min |
| Tapping Width | (5 stages) Approx 70-130mm |
| Vertical Movement Speed | One up/down pass in approx 35 sec. |
| Spine Stretching Width | (5 stages) Approx 70-130mm |
| Range of partial stretching | Partial stretching (Long): Repetition with Approx 200mm |
| | Partial stretching (Short): Repetition with Approx 100mm |
| Vertical Stroke Length | Approx 790mm |
| Height Adjustment | |
| of Massaging Rollers | No gradation or 1cm/one press of button |
| Reclining Angle | Approx 120-170° |
| Reclining Method | Back-rest: Motor-driven (Linked with foot rest) |
| | Foot-rest: Motor-driven (Foot rest only) |
| | Seat surface: Motor-driven (Linked with back rest/foot rest) |
| Lower Body Massaging | (3 stages) Approx 23-32kPa |

